

June 2019

New Compounded Options for Female Libido – NEW & IMPROVED!!

One of the top reported symptoms we regularly receive from women experiencing peri-menopause and menopause is a decrease in sex drive and difficulty climaxing. The FDA recently approved Addyi (flibanserin) for female libido, but this drug has produced minimal benefit and a host of unwanted side effects (dizziness, drowsiness, nausea, and fatigue are the most troublesome issues).

We have received a steady increase in phone calls recently about our various compounded preparations for improving female libido. We've now taken our previous gel formulations and made them even better with the introduction of a transdermal gel formulation to improve patient response!! These formulations have benefited female patients by increasing vaginal lubrication, vaginal stimulation (with increased blood flow and dilation), and improvement in reaching climax. These compounds can be used with or without hormone therapy. Options are available with or without ingredients that cause a warming sensation (Peppermint oil).

Here's an updated list of our compounded options: (Rx Templates & samples available upon request)

Name	SIG	Quantity	Notes
(OTC) Passion Potion (gel) (Arginine 6%/ Peppermint Oil)	Apply 0.3 – 0.4m to clitoris and labia 15 – 60 minutes prior to intercourse.	15mL	Intro level option, may be good starting option for mild cases Price = \$25 (Available OTC)
(Rx) Dream Transdermal Gel (Aminophylline 3%/ Arginine 6%/ Papaverine 5%)	Apply to clitoris and labia 15 – 60 minutes prior to intercourse.	15mL	Also available in emollient cream form (Dream Cream ordered as Qty = 30gm). Price = \$40 (gel); \$50 (cream) Caution using in patients with hypotension
(Rx) Scream Transdermal Gel (Aminophylline 3%/ Arginine 6%/ Papaverine 5%/ Peppermint oil)	Apply to clitoris and labia 15 – 60 minutes prior to intercourse.	15mL	Same ingredients as Dream Gel + Peppermint Oil Also available in emollient cream form (Scream Cream ordered as Qty = 30gm). Caution using in patients with hypotension Price = \$40 (gel); \$50 (cream)
(Rx) Yell Transdermal Gel (Arginine 2%/ Naltrexone 0.7%/ Peppermint Oil)	Apply to clitoris and labia 15 – 60 minutes prior to intercourse.	15mL	Great option for: Increased vaginal lubrication Painful intercourse patients Flavored Includes warming sensation Caution using in patients on chronic opiate therapy