SEMAGLUTIDE NASAL SPRAY

BRYAN ZIEGLER, PHARMD, MBA MOSS COMPOUNDING PHARMACY NOVEMBER 2023



TOPICS FOR DISCUSSION

- Introduction of an exciting new dosage form
- Regulatory challenges with compounding Semaglutide
- Pharmacokinetic challenges with Semaglutide
- Key information on the new dosage form
- Dosing recommendations
- Adverse events/Tolerability
- Strength options and pricing
- Rx Template/Resources

NEW DOSAGE FORM INTRODUCTION - SEMAGLUTIDE



SEMAGLUTIDE NASAL SPRAY 0.25% (0.25mg/0.1mL spray)

Convenient dosing option.

Flexible titration.

No injections for the patient.

Dosing can be increased if needed based on patient response, up to a max recommendation 3mg/day.

Side effects are similar to oral/injection forms (nausea, vomiting, GI upset, fatigue, headache).



REGULATORY CHALLENGES WITH SEMAGLUTIDE

- Base vs Salt form
- Patent protection issues

PHARMACOKINETIC CHALLENGES WITH SEMAGLUTIDE

- Various dosage routes
 - Subcutaneous Injection (Wegovy®/Ozempic®)
 - Oral tablet (Rybelsus®)
 - Sublingual?
 - Nasal?
- Absorption Challenges (oral)
 - Rapid degradation in GI tract without protection (SNAC)
 - Even with SNAC poor bioavailability
- Absorportion challenges (SL)
 - Degradation issues
 - Molecular weight/size
- Bioavailability (nasal) bioavailability of large peptide molecules ranges from 0.5% to 5%
- Half-life long, steady state in ~4 weeks

https://accpl.onlinelibrary.wiley.com/doi/full/10.1002/cpdd.938 https://juniperpublishers.com/gjpps/pdf/GJPPS.MS.ID.555569.pdf

KEY INFO/CLINICAL PEARLS – SEMAGLUTIDE NASAL SPRAY

- Overcoming absorption issues with SL/oral
 - Nasal route been demonstrated with other peptides (Calcitonin, Exenatide)
 - pH of nasal cavity = 6 6.5
 - Mucoadhesion and absorption enhancers added to improve absorption
- Limit the number of sprays and volume per spray to reduce drip out of nose or drainage down throat
 - Dosage maxed at 2 sprays (0.1mL per spray) each nostril daily

https://pubmed.ncbi.nlm.nih.gov/10196653/

https://www.accessdata.fda.gov/drugsatfda_docs/label/2017/020313s036lbl.pdf

DOSING RECOMMENDATIONS – SEMAGLUTIDE NASAL SPRAY

Semaglutide Nasal Spray - Check box for desired dosing

STANDARD DOSING

Semaglutide 0.25% (0.25mg/0.1mL spray)

Initial Titration: Qty: 8mL nasal spray bottle

SIG: Use 1 spray (=0.1mL =0.25mg) in each nostril once daily for 4 days per week x 2 weeks, increase by 1 spray daily each week after as tolerated up to 2 sprays/nostril daily maximum.

Semaglutide 0.25% (0.25mg/0.1mL spray)

Maintenance Dosing Qty: 8mL nasal spray bottle Refills: _____

SIG: Use 2 sprays (=0.2mL =0.5mg) in each nostril once daily for 4 days per week. (=1mg daily dose)

Semaglutide 0.25% (0.25mg/0.1mL spray)

Alternative Maintenance Dose: Qty: 8mL nasal spray bottle Refills: _____ SIG: Use _____sprays (each spray = 0.1mL) in _____nostril(s) once daily for ____ days per week.

DOSING RECOMMENDATIONS – SEMAGLUTIDE NASAL SPRAY

• Dosing can be adjusted beyond Img/day dosing if needed and tolerated.

INCREASED DOSE ADJUSTMENT OPTIONS



Semaglutide 0.5% (0.5mg/0.1mL spray) Qty: 8mL nasal spray bottle Refills: _____ SIG: Use 2 sprays (=0.2mL =1mg) in each nostril once daily for 4 days per week. (=2mg daily dose)



Semaglutide 0.75% (0.75mg/0.1mL spray) Qty: 8mL nasal spray bottle Refills: ______ SIG: Use 2 sprays (=0.2mL =1.5mg) in each nostril once daily for 4 days per week. (=3mg daily dose)

ADVERSE EVENTS/TOLERABILITY

- No reports with nasal irritation
- pH of nasal spray solution = 6.5-7
- Side effects/tolerability similar to oral/SubQ but more flexibility to titrate dose/frequency theoretically can provide reduced potential for occurring with same severity/frequency
- Common adverse events: nausea, vomiting, constipation, gastroparesis, abdominal pain, headaches
- Serious Adverse Events = Risk of Thyroid C-Cell tumors, Acute pancreatitis, acute gallbladder disease, hypoglycemia, Inc. HR, Hypersensitivity, Acute kidney injury, diabetic retinopathy complications
- Other notable issues reported with early testing of nasal:
 - Mild nasal congestion

Wegovy® Package Insert - https://www.accessdata.fda.gov/drugsatfda_docs/label/2021/215256s000lbl.pdf

CONTRAINDICATIONS

- Patients with active severe nasal mucosa ulcers (>1.5mm)
- Same as oral/SubQ:
 - personal or family history of certain types of thyroid cancer, specifically thyroid C-cell tumors such as medullary thyroid carcinoma (MTC), or in patients with multiple endocrine neoplasia syndrome type 2 (MEN 2)
 - A prior serious hypersensitivity reaction to semaglutide

Wegovy® Package Insert - https://www.accessdata.fda.gov/drugsatfda_docs/label/2021/215256s000lbl.pdf

STRENGTHS AVAILABLE

• Semaglutide 0.25% (0.25mg /0.1mL) nasal spray

- Use for daily dosing up to 1mg per day
- Price = \$249 for 8mL bottle (1 month supply)

• Semaglutide 0.5% (0.5mg/0.1mL) nasal spray


- Use for daily dosing up to 2mg per day
- Price = \$299 for 8mL bottle (1month supply)

• Semaglutide 0.75% (0.75mg/0.1mL) nasal spray

- Use for daily dosing up to 3mg per day
- Price = \$349 for 8mL bottle (1 month supply)

*Note: Price subject to change based on ingredient cost changes from suppliers

RX TEMPLATES/OTHER RESOURCES



www.mosscompounding.com

QUESTIONS?

Bryan Ziegler, PharmD, MBA 843.665.0289

bziegler@mosscompounding.com



